

### SANKING COMPACT BALL VALVES

#### STANDARD FEATURES:

- PVC BODY
- EPDM SEALS
- REMOVABLE HANDLE
- BSP THREADS
- 0-55°C
- UV RESISTANT
- 0-10 BAR
- 12 MONTH WARRANTY\*



Part No	Description
S.KVN UPVC 15 EP BSP	DN15 Compact ball valve, UPVC, EPDM, BSP Threads
S.KVN UPVC 20 EP BSP	DN20 Compact ball valve, UPVC, EPDM, BSP Threads
S.KVN UPVC 25 EP BSP	DN25 Compact ball valve, UPVC, EPDM, BSP Threads
S.KVN UPVC 32 EP BSP	DN32 Compact ball valve, UPVC, EPDM, BSP Threads
S.KVN UPVC 40 EP BSP	DN40 Compact ball valve, UPVC, EPDM, BSP Threads
S.KVN UPVC 50 EP BSP	DN50 Compact ball valve, UPVC, EPDM, BSP Threads

#### OPTIONS:

Alternative colours, socket ends.

\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.

## SANKING DOUBLE UNION BALL VALVES

### STANDARD FEATURES:

- ANSI SCHEDULE 80 OR BSP
- PVC BODY
- EPDM SEALS
- DOUBLE UNION CONNECTIONS
- SERVICEABLE VALVE
- REMOVABLE HANDLE
- UV RESISTANT
- 0-55°C
- 0-10 BAR
- 12 MONTH WARRANTY\*



Part No	Description
S.KVT UPVC 15 EP BSP	DN15 Double union ball valve, UPVC, EPDM, BSP Threads
S.KVT UPVC 20 EP BSP	DN20 Double union ball valve, UPVC, EPDM, BSP Threads
S.KVT UPVC 25 EP BSP	DN25 Double union ball valve, UPVC, EPDM, BSP Threads
S.KVT UPVC 32 EP BSP	DN32 Double union ball valve, UPVC ,EPDM, BSP Threads
S.KVT UPVC 40 EP BSP	DN40 Double union ball valve, UPVC ,EPDM, BSP Threads
S.KVT UPVC 50 EP BSP	DN50 Double union ball valve, UPVC ,EPDM, BSP Threads
S.KVT UPVC 1/2 EP SCH80	DN15 Double union ball valve, UPVC ,EPDM, Socket ends
S.KVT UPVC 3/4 EP SCH80	DN20 Double union ball valve, UPVC ,EPDM, Socket ends
S.KVT UPVC 1 EP SCH80	DN25 Double union ball valve, UPVC, EPDM, Socket ends
S.KVT UPVC 1-1/4 EP SCH80	DN32 Double union ball valve, UPVC, EPDM, Socket ends
S.KVT UPVC 1-1/2 EP SCH80	DN40 Double union ball valve, UPVC, EPDM, Socket ends
S.KVT UPVC 2 EP SCH80	DN50 Double union ball valve, UPVC ,EPDM, Socket ends


### OPTIONS:

Valve in UPVC, CPVC, PPH, Clear PVC, PVDF.

BSP threads, socket ends or alternative international connections.

EPDM or Viton seals.

Available up to DN100 on request.



\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.

## SANKING SINGLE UNION NON-RETURN VALVES

### STANDARD FEATURES:

- ANSI SCHEDULE 80 OR BSP
- PVC BODY
- EPDM SEALS
- SINGLE UNION CONNECTION
- UV RESISTANT
- 0-55°C
- 0-10 BAR
- 12 MONTH WARRANTY\*



Part No	Description
S.KCVS100 UPVC 15 EP BSP	DN15 Check valve, UPVC, EPDM, BSP Threads
S.KCVS100 UPVC 20 EP BSP	DN20 Check valve, UPVC, EPDM, BSP Threads
S.KCVS100 UPVC 25 EP BSP	DN25 Check valve, UPVC, EPDM, BSP Threads
S.KCVS100 UPVC 32 EP BSP	DN32 Check valve, UPVC, EPDM, BSP Threads
S.KCVS100 UPVC 40 EP BSP	DN40 Check valve, UPVC, EPDM, BSP Threads
S.KCVS100 UPVC 50 EP BSP	DN50 Check valve, UPVC, EPDM, BSP Threads
S.KCVS100 UPVC 1/2 EP SCH80	DN15 Check valve, UPVC, EPDM, Socket ends
S.KCVS100 UPVC 3/4 EP SCH80	DN20 Check valve, UPVC, EPDM, Socket ends
S.KCVS100 UPVC 1 EP SCH80	DN25 Check valve, UPVC, EPDM, Socket ends
S.KCVS100 UPVC 1-1/4 EP SCH80	DN32 Check valve, UPVC, EPDM, Socket ends
S.KCVS100 UPVC 1-1/2 EP SCH80	DN40 Check valve, UPVC, EPDM, Socket ends
S.KCVS100 UPVC 2 EP SCH80	DN50 Check valve, UPVC, EPDM, Socket ends

### OPTIONS:

Spring assisted on request.

Valve in UPVC, CPVC, PPH.

Alternative colours on request.

BSP threads, socket ends or alternative international connections.

EPDM or Viton seals.



\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.

### SANKING DOUBLE UNION NON-RETURN VALVES

#### STANDARD FEATURES:

- ANSI SCHEDULE 80 OR BSP
- PVC BODY
- EPDM SEALS
- DOUBLE UNION CONNECTIONS
- SERVICEABLE VALVE
- PATENTED SPRINGLESS DESIGN
- UV RESISTANT
- 0-55°C
- 0-10 BAR
- 12 MONTH WARRANTY\*



Part No	Description
S.KCVB100 UPVC 15 EP BSP	DN15 Double union check valve, UPVC, EPDM, BSP Threads
S.KCVB100 UPVC 20 EP BSP	DN20 Double union check valve, UPVC, EPDM, BSP Threads
S.KCVB100 UPVC 25 EP BSP	DN25 Double union check valve, UPVC, EPDM, BSP Threads
S.KCVB100 UPVC 32 EP BSP	DN32 Double union check valve, UPVC, EPDM, BSP Threads
S.KCVB100 UPVC 40 EP BSP	DN40 Double union check valve, UPVC, EPDM, BSP Threads
S.KCVB100 UPVC 50 EP BSP	DN50 Double union check valve, UPVC, EPDM, BSP Threads
S.KCVB100 UPVC 1/2 EP SCH80	DN15 Double union check valve, UPVC, EPDM, Socket ends
S.KCVB100 UPVC 3/4 EP SCH80	DN20 Double union check valve, UPVC, EPDM, Socket ends
S.KCVB100 UPVC 1 EP SCH80	DN25 Double union check valve, UPVC, EPDM, Socket ends
S.KCVB100 UPVC 1-1/4 EP SCH80	DN32 Double union check valve, UPVC, EPDM, Socket ends
S.KCVB100 UPVC 1-1/2 EP SCH80	DN40 Double union check valve, UPVC, EPDM, Socket ends
S.KCVB100 UPVC 2 EP SCH80	DN50 Double union check valve, UPVC, EPDM, Socket ends

#### OPTIONS:

Valve in UPVC, CPVC, PPH, Clear PVC.

BSP threads, socket ends or alternative international connections.

EPDM or Viton seals.

\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.

### SANKING FOOT VALVES

#### STANDARD FEATURES:

- BSP CONNECTION
- PVC BODY
- EPDM SEALS
- SERVICEABLE VALVE
- NO SPRING
- 0-55°C
- 0-10 BAR
- 12 MONTH WARRANTY\*



Part No	Description
S.KFVS100 UPVC 15 EP BSP	DN15 Foot valve, BSP Thread
S.KFVS100 UPVC 20 EP BSP	DN20 Foot valve, BSP Thread
S.KFVS100 UPVC 25 EP BSP	DN25 Foot valve, BSP Thread
S.KFVS100 UPVC 32 EP BSP	DN32 Foot valve, BSP Thread
S.KFVS100 UPVC 40 EP BSP	DN40 Foot valve, BSP Thread
S.KFVS100 UPVC 50 EP BSP	DN50 Foot valve, BSP Thread

#### OPTIONS:

Foot valve in UPVC, CPVC, PPH, PVDF.  
BSP thread, socket end or alternative international connections.  
EPDM or Viton seals.  
Foot valves up to DN200 on request.

\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.



### SANKING SWING CHECK VALVES

#### STANDARD FEATURES:

- ANSI SCHEDULE 80 OR BSP
- PVC BODY
- EPDM SEALS
- STAINLESS STEEL PIVOT
- HORIZONTAL OR VERTICAL INSTALLATION
- UV RESISTANT
- 0-55°C
- 0-10 BAR
- 12 MONTH WARRANTY\*



Part No	Description
S.KCVC100 UPVC 65 EP BSP	DN65 Swing check valve, UPVC, EPDM, BSP Threads
S.KCVB100 UPVC 80 EP BSP	DN80 Swing check valve, UPVC, EPDM, BSP Threads
S.KCVB100 UPVC 100 EP BSP	DN100 Swing check valve, UPVC, EPDM, BSP Threads
S.KCVB100 UPVC 150 EP BSP	DN150 Swing check valve, UPVC, EPDM, BSP Threads

#### OPTIONS:

Valve in UPVC, CPVC.

BSP threads, socket ends or alternative international connections.

Available in DN65-DN200 flanged.

EPDM or Viton seals.

\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.

### SANKING BUTTERFLY VALVES

#### STANDARD FEATURES:

- PVC BODY
- EPDM SEALS
- FLANGE CONNECTION
- LOCKABLE HANDLE
- UV RESISTANT
- 0-55°C
- 0-10 BAR
- 12 MONTH WARRANTY\*



Part No	Description
S.KVBL UPVC 1-1/2 EP	DN40 Butterfly valve, UPVC, EPDM
S.KVBL UPVC 2 EP	DN50 Butterfly valve, UPVC, EPDM
S.KVBL UPVC 2-1/2 EP	DN65 Butterfly valve, UPVC, EPDM
S.KVBL UPVC 3 EP	DN80 Butterfly valve, UPVC, EPDM
S.KVBL UPVC 4 EP	DN100 Butterfly valve, UPVC, EPDM
S.KVBL UPVC 5 EP	DN125 Butterfly valve, UPVC, EPDM
S.KVBL UPVC 6 EP	DN150 Butterfly valve, UPVC, EPDM
S.KVBL UPVC 8 EP	DN200 Butterfly valve, UPVC, EPDM

S.KVBLW UPVC 8 EP	DN200 Butterfly valve, UPVC, EPDM, with worm drive
S.KVBLW UPVC 10 EP	DN250 Butterfly valve, UPVC, EPDM, with worm drive
S.KVBLW UPVC 12 EP	DN300 Butterfly valve, UPVC, EPDM, with worm drive

#### OPTIONS:

Valve in UPVC, CPVC, PPH.  
EPDM or Viton seals.

\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.

## SANKING DIAPHRAGM VALVES

### STANDARD FEATURES:

- PVC BODY
- EPDM SEALS
- UNION CONNECTIONS
- POSITION INDICATOR
- UV RESISTANT
- 0-55°C
- 0-10 BAR
- 12 MONTH WARRANTY\*



Part No	Description
S.KDVT UPVC 1/2 EP SCH80	DN15 Diaphragm valve, UPVC, EPDM, Socket ends
S.KDVT UPVC 3/4 EP SCH80	DN20 Diaphragm valve, UPVC, EPDM, Socket ends
S.KDVT UPVC 1 EP SCH80	DN25 Diaphragm valve, UPVC, EPDM, Socket ends
S.KDVT UPVC 1-1/4 EP SCH80	DN32 Diaphragm valve, UPVC, EPDM, Socket ends
S.KDVT UPVC 1-1/2 EP SCH80	DN40 Diaphragm valve, UPVC, EPDM, Socket ends
S.KDVT UPVC 2 EP SCH80	DN50 Diaphragm valve, UPVC, EPDM, Socket ends
S.KDVT UPVC 2-1/2 EP SCH80	DN65 Diaphragm valve, UPVC, EPDM, Socket ends
S.KDVT UPVC 3 EP SCH80	DN80 Diaphragm valve, UPVC, EPDM, Socket ends
S.KDVT UPVC 4 EP SCH80	DN100 Diaphragm valve, UPVC, EPDM, Socket ends

### OPTIONS:

Valve in UPVC, CPVC, PPH, Clear PVC, PVDF.  
Available with or without unions, BSP, flanged or socket connections.  
Diaphragm in EPDM, Viton or PTFE.  
EPDM or Viton seals.



\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.



### SANKING PNEUMATIC BALL VALVES

#### STANDARD FEATURES:

- COMPRESSED AIR OPERATED (45 . 120 PSI)
- DOUBLE OR SINGLE ACTING ACTUATOR
- POSITION INDICATOR
- DOUBLE UNION BALL VALVE
- 10 BAR MEDIA WORKING PRESSURE
- 0-55°C (UPVC)
- EPDM SEALS
- 12 MONTH WARRANTY\*



Part No	Description
S.PA KVT 1/2 UPVC EP SCH80	DN15 Air operated double union ball valve, UPVC, Socket ends
S.PA KVT 3/4 UPVC EP SCH80	DN20 Air operated double union ball valve, UPVC, Socket ends
S.PA KVT 1 UPVC EP SCH80	DN25 Air operated double union ball valve, UPVC, Socket ends
S.PA KVT 1-1/4 UPVC EP SCH80	DN32 Air operated double union ball valve, UPVC, Socket ends
S.PA KVT 1-1/2 UPVC EP SCH80	DN40 Air operated double union ball valve, UPVC, Socket ends
S.PA KVT 2 UPVC EP SCH80	DN50 Air operated double union ball valve, UPVC, Socket ends
S.PA KVT 2-1/2 UPVC EP SCH80	DN65 Air operated double union ball valve, UPVC, Socket ends
S.PA KVT 3 UPVC EP SCH80	DN80 Air operated double union ball valve, UPVC, Socket ends
S.PA KVT 4 UPVC EP SCH80	DN100 Air operated double union ball valve, UPVC, Socket ends

#### OPTIONS:

Valve in UPVC, CPVC, PPH, PVDF.

BSP threads, socket ends or alternative international connections.

EPDM or Viton seals.

\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.

### SANKING PNEUMATIC BUTTERFLY VALVES

#### STANDARD FEATURES:

- COMPRESSED AIR OPERATED (45. 120 PSI)
- DOUBLE OR SINGLE ACTING ACTUATOR
- POSITION INDICATOR
- UV STABILISED UPVC VALVE
- 10 BAR MEDIA WORKING PRESSURE
- 0-55°C (UPVC)
- EPDM SEALS
- 12 MONTH WARRANTY\*



Part No	Description
S. PA KBVL UPVC 1-1/2 EP	DN40 Air operated butterfly valve, UPVC, EPDM
S. PA KBVL UPVC 2 EP	DN50 Air operated butterfly valve, UPVC, EPDM
S. PA KBVL UPVC 2-1/2 EP	DN65 Air operated butterfly valve, UPVC, EPDM
S. PA KBVL UPVC 3 EP	DN80 Air operated butterfly valve, UPVC, EPDM
S. PA KBVL UPVC 4 EP	DN100 Air operated butterfly valve, UPVC, EPDM
S. PA KBVL UPVC 5 EP	DN125 Air operated butterfly valve, UPVC, EPDM
S. PA KBVL UPVC 6 EP	DN150 Air operated butterfly valve, UPVC, EPDM
S. PA KBVL UPVC 8 EP	DN200 Air operated butterfly valve, UPVC, EPDM
S. PA KBVL UPVC 10 EP	DN250 Air operated butterfly valve, UPVC, EPDM
S. PA KBVL UPVC 12 EP	DN300 Air operated butterfly valve, UPVC, EPDM

#### OPTIONS:

Valve in UPVC, CPVC, PPH, PVDF.  
EPDM or Viton seals.

\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.

### SANKING ELECTRIC BALL VALVES

#### STANDARD FEATURES:

- ELECTRIC MOTOR DRIVEN VALVE
- ADJUSTABLE LIMIT STOP 15 TO 90 DEGREES
- MANUAL OVER-RIDE
- POSITION INDICATOR
- DOUBLE UNION BALL VALVE
- 10 BAR MEDIA WORKING PRESSURE
- 0-55°C (UPVC)
- EPDM SEALS
- 12 MONTH WARRANTY\*



Part No	Description
S.EA KVT 1/2 UPVC EP SCH80	DN15 Motor operated double union ball valve UPVC, Socket ends
S.EA KVT 3/4 UPVC EP SCH80	DN20 Motor operated double union ball valve UPVC, Socket ends
S.EA KVT 1 UPVC EP SCH80	DN25 Motor operated double union ball valve UPVC, Socket ends
S.EA KVT 1-1/4 UPVC EP SCH80	DN32 Motor operated double union ball valve UPVC, Socket ends
S.EA KVT 1-1/2 UPVC EP SCH80	DN40 Motor operated double union ball valve UPVC, Socket ends
S.EA KVT 2 UPVC EP SCH80	DN50 Motor operated double union ball valve UPVC, Socket ends
S.EA KVT 2-1/2 UPVC EP SCH80	DN65 Motor operated double union ball valve UPVC, Socket ends
S.EA KVT 3 UPVC EP SCH80	DN80 Motor operated double union ball valve UPVC, Socket ends
S.EA KVT 4 UPVC EP SCH80	DN100 Motor operated double union ball valve UPVC, Socket ends

#### OPTIONS:

Valve in UPVC, CPVC, PPH, PVDF.

BSP threads, socket ends or alternative international connections.

EPDM or Viton seals.

24VAC, 24VDC or 230VAC.

\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.

## SANKING ELECTRIC BUTTERFLY VALVES

### STANDARD FEATURES:

- ELECTRIC MOTOR DRIVEN VALVE
- ADJUSTABLE LIMIT STOP 15 TO 90 DEGREES
- MANUAL OVER-RIDE
- POSITION INDICATOR
- 10 BAR MEDIA WORKING PRESSURE
- 0-55°C (UPVC)
- EPDM SEALS
- 12 MONTH WARRANTY\*



Part No	Description
S. EA KBVL UPVC 1-1/2 EP	DN40 Motor operated butterfly valve, UPVC, EPDM
S. EA KBVL UPVC 2 EP	DN50 Motor operated butterfly valve, UPVC, EPDM
S. EA KBVL UPVC 2-1/2 EP	DN65 Motor operated butterfly valve, UPVC, EPDM
S. EA KBVL UPVC 3 EP	DN80 Motor operated butterfly valve, UPVC, EPDM
S. EA KBVL UPVC 4 EP	DN100 Motor operated butterfly valve, UPVC, EPDM
S. EA KBVL UPVC 5 EP	DN125 Motor operated butterfly valve, UPVC, EPDM
S. EA KBVL UPVC 6 EP	DN150 Motor operated butterfly valve, UPVC, EPDM
S. EA KBVL UPVC 8 EP	DN200 Motor operated butterfly valve, UPVC, EPDM
S. EA KBVL UPVC 10 EP	DN250 Motor operated butterfly valve, UPVC, EPDM
S. EA KBVL UPVC 12 EP	DN300 Motor operated butterfly valve, UPVC, EPDM

### OPTIONS:

Valve in UPVC, CPVC, PPH, PVDF.  
EPDM or Viton seals.

\* Please refer to Aqua Products Limited terms and conditions of sale for complete warranty conditions.