

Section 26

Pipe Fittings

Fluidfit Push In Pipe Fittings

26

Standard Features:

- NSF Approved Food Grade Materials
- Available in Metric and Imperial Sizes
- Pressure Rating 10-16 Bar (typical)

Suitable for water, beverages, air,
compatible liquids & gases.

Please enquire for full technical details

Male Connector

Model	Tube OD	Thread	Colour
HPC 06G02B	6 mm	1/4 inch BSP	Black
HPC 08G02B	8 mm	1/4 inch BSP	Black
HPC 10G02B	10 mm	1/4 inch BSP	Black
HPC 12G04B	12 mm	1/2 inch BSP	Black
HPC 1/4-G02G	1/4 inch	1/4 inch BSP	Grey
HPC 3/8-G03G	3/8 inch	3/8 inch BSP	Grey
HPC 1/2-G04G	1/2 inch	1/2 inch BSP	Grey



Elbow Connector

Model	Tube OD	Tube OD	Colour
HUL 0606B	6 mm	6 mm	Black
HUL 0808B	8 mm	8 mm	Black
HUL 1010B	10 mm	10 mm	Black
HUL 1212B	12 mm	12 mm	Black
HUL 1/4-1/4G	1/4 inch	1/4 inch	Grey
HUL 3/8-3/8G	3/8 inch	3/8 inch	Grey
HUL 1/2-1/2G	1/2 inch	1/2 inch	Grey



* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.

Section 26

Pipe Fittings

26

CDC Fluidfit Push In Pipe Fittings

Standard Features:

- NSF Approved Food Grade Materials
- Available in Metric and Imperial Sizes
- Pressure Rating 10-16 Bar (typical)

Suitable for water, beverages, air,
compatible liquids & gases.

Please enquire for full technical details

Tee Connector

Model	Tube OD	Tube OD	Tube OD	Colour
HUT 0606B	6 mm	6 mm	6 mm	Black
HUT 0808B	8 mm	8 mm	8 mm	Black
HUT 1010B	10 mm	10 mm	10 mm	Black
HUT 1212B	12 mm	12 mm	12 mm	Black
HUT 1/4-1/4G	1/4 inch	1/4 inch	1/4 inch	Grey
HUT 3/8-3/8G	3/8 inch	3/8 inch	3/8 inch	Grey
HUT 1/2-1/2G	1/2 inch	1/2 inch	1/2 inch	Grey



Straight Connector

Model	Tube OD	Tube OD	Colour
HUC 0606B	6 mm	6 mm	Black
HUC 0808B	8 mm	8 mm	Black
HUC 1010B	10 mm	10 mm	Black
HUC 1212B	12 mm	12 mm	Black
HUC 1/4-1/4G	1/4 inch	1/4 inch	Grey
HUC 3/8-3/8G	3/8 inch	3/8 inch	Grey
HUC 1/2-1/2G	1/2 inch	1/2 inch	Grey



* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.

Section 26

Pipe Fittings

CDC Fluidfit Push In Pipe Fittings

26

Standard Features:

- NSF Approved Food Grade Materials
- Available in Metric and Imperial Sizes
- Pressure Rating 10-16 Bar (typical)

Suitable for water, beverages, air,
compatible liquids & gases.

Please enquire for full technical details

Bulkhead Connector

Model	Tube OD	Tube OD	Colour
HMM 0606B	6 mm	6 mm	Black
HMM 0808B	8 mm	8 mm	Black
HMM 1010B	10 mm	10 mm	Black
HMM 1212B	12 mm	12 mm	Black
HMM 1/4-1/4G	1/4 inch	1/4 inch	Grey
HMM 3/8-3/8G	3/8 inch	3/8 inch	Grey
HMM 1/2-1/2G	1/2 inch	1/2 inch	Grey



Swivel Elbow

Model	Tube OD	Thread Size	Colour
HRPL 06G02B	6 mm	1/4" BSP	Black
HRPL 08G02B	8 mm	1/4" BSP	Black
HRPL 10G04B	10 mm	1/2" BSP	Black
HRPL 12G04B	12 mm	1/2" BSP	Black



* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.

Section 26

Pipe Fittings

26

CDC Fluidfit Push In Pipe Fittings

Standard Features:

- NSF Approved Food Grade Materials
- Available in Metric and Imperial Sizes
- Pressure Rating 10-16 Bar (typical)

Suitable for water, beverages, air,
compatible liquids & gases.

Please enquire for full technical details

Stem Elbow

Model	Stem OD	Tube OD	Colour
HLJ 0606B	6 mm	6 mm	Black
HLJ 0808B	8 mm	8 mm	Black
HLJ 1010B	10 mm	10 mm	Black
HLJ 1212B	12 mm	12 mm	Black
HLJ 1/4-1/4G	1/4 inch	1/4 inch	Grey
HLJ 3/8-3/8G	3/8 inch	3/8 inch	Grey
HLJ 1/2-1/2G	1/2 inch	1/2 inch	Grey



Stem Adaptor

Model	Stem OD	Thread	Colour
HCJ 06G02B	6 mm	1/4 inch BSP	Black
HCJ 08G02B	8 mm	1/4 inch BSP	Black
HCJ 10G02B	10 mm	1/4 inch BSP	Black
HCJ 12G04B	12 mm	1/2 inch BSP	Black



* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.

Section 26

Pipe Fittings

CDC Fluidfit Push In Pipe Fittings

26

Standard Features:

- NSF Approved Food Grade Materials
- Available in Metric and Imperial Sizes
- Pressure Rating 10-16 Bar (typical)

Suitable for water, beverages, air,
compatible liquids & gases.

Please enquire for full technical details

Stem Reducer

Model	Stem OD	Tube OD	Colour
HGJ0604B	6 mm	4 mm	Black
HGJ0806B	8 mm	6 mm	Black
HGJ1008B	10 mm	8 mm	Black
HGJ1210B	12 mm	10 mm	Black
HGJ1/2-3/8G	1/2 inch	3/8 inch	Grey
HGJ3/8-1/4G	3/8 inch	1/4 inch	Grey



Female Connector

Model	Tube OD	Thread	Colour
HCF 06G02B	6 mm	1/4 inch BSP	Black
HCF 08G04B	8 mm	1/2 inch BSP	Black
HCF 08G06B	8 mm	3/4 inch BSP	Black
HCF 10G04B	10 mm	1/2 inch BSP	Black
HCF 10G06B	10 mm	3/4 inch BSP	Black
HCF 12G04B	12 mm	1/2 inch BSP	Black
HCF 1/4G04G	1/4 inch	1/2 inch BSP	Grey
HCF 1/4G06G	1/4 inch	3/4 inch BSP	Grey
HCF 3/8G04G	3/8 inch	1/2 inch BSP	Grey
HCF 3/8G06G	3/8 inch	3/4 inch BSP	Grey
HCF 1/2G04G	1/2 inch	1/2 inch BSP	Grey



* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.

Section 26

Pipe Fittings

26

CDC Fluidfit Push In Pipe Fittings

Standard Features:

- NSF Approved Food Grade Materials
- Available in Metric and Imperial Sizes
- Pressure Rating 10-16 Bar (typical)

Suitable for water, beverages, air,
compatible liquids & gases.

Please enquire for full technical details

Branch Stem Tee

Model	Stem OD	Tube OD	Colour
HSJ 0606B	6 mm	6 mm	Black
HSJ 0808B	8 mm	8 mm	Black
HSJ 1010B	10 mm	10 mm	Black
HSJ 1212B	12 mm	12 mm	Black
HSJ 1/4-1/4G	1/4 inch	1/4 inch	Grey
HSJ 3/8-3/8G	3/8 inch	3/8 inch	Grey
HSJ 1/2-1/2G	1/2 inch	1/2 inch	Grey



Union Cross

Model	Tube OD	Tube OD	Colour
HZA 0606B	6 mm	6 mm	Black
HZA 0808B	8 mm	8 mm	Black
HZA 1010B	10 mm	10 mm	Black
HZA 1/4-1/4G	1/4 inch	1/4 inch	Grey
HZA 3/8-3/8G	3/8 inch	3/8 inch	Grey



* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.

Section 26

Pipe Fittings

CDC Fluidfit Push In Pipe Fittings

26

Standard Features:

- NSF Approved Food Grade Materials
- Available in Metric and Imperial Sizes
- Pressure Rating 10-16 Bar (typical)

Suitable for water, beverages, air,
compatible liquids & gases.

Please enquire for full technical details

Stem Barb Connector

Model	Stem OD	Barb OD	Colour
HCJB 0606B	6 mm	6.5 mm	Black
HCJB 0806B	8 mm	6.5 mm	Black
HCJB 1010B	10 mm	10.5 mm	Black
HCJB 1210B	12 mm	10.5 mm	Black
HCJB 1/4-1/4G	1/4 inch	1/4 inch	Grey
HCJB 3/8-3/8G	3/8 inch	3/8 inch	Grey
HCJB 1/2-1/2G	1/2 inch	1/2 inch	Grey



Ball Valve

Model	Tube OD	Tube OD	Colour
HBVU 0606B	6 mm	6 mm	Black
HBVU 0808B	8 mm	8 mm	Black
HBVU 1010B	10 mm	10 mm	Black
HBVU 1212B	12 mm	12 mm	Black
HBVU 1/4-1/4W	1/4 inch	1/4 inch	White
HBVU 3/8-3/8W	3/8 inch	3/8 inch	White
HBVU 1/2-1/2W	1/2 inch	1/2 inch	White



* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.

Section 26

Pipe Fittings

26

CDC Fluidfit Push In Pipe Fittings

Standard Features:

- NSF Approved Food Grade Materials
- Available in Metric and Imperial Sizes
- Pressure Rating 10-16 Bar (typical)

Suitable for water, beverages, air,
compatible liquids & gases.

Please enquire for full technical details

Flow Control Valve

Model	Tube OD	Tube OD	Colour
HSTU 0606B	6 mm	6 mm	Black
HSTU 1010B	10 mm	10 mm	Black
HSTU 1/4-1/4G	1/4 inch	1/4 inch	Grey
HSTU 3/8-3/8G	3/8 inch	3/8 inch	Grey



Check Valve

Model	Tube OD	Tube OD	Colour
HCVU 0606B	6 mm	6 mm	Black
HCVU 0808B	8 mm	8 mm	Black
HCVU 1010B	10 mm	10 mm	Black
HCVU 1212B	12 mm	12 mm	Black
HCVU 1/4-1/4G	1/4 inch	1/4 inch	Grey
HCVU 3/8-3/8G	3/8 inch	3/8 inch	Grey
HCVU 1/2-1/2G	1/2 inch	1/2 inch	Grey



* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.

Section 26

Pipe Fittings

CDC Fluidfit Push In Pipe Fittings

26

Standard Features:

- Stainless Steel 316
- -20 to +150°C
- 18 Bar Pressure Rating

Suitable for industrial water
compressed air vacuum.

Male Connector

Model	Tube OD	Thread BSP
SUS PC 12G04	12 mm	1/2 inch



Elbow Connector

Model	Tube OD	Tube OD
SUS PUL 12	12 mm	12mm



Tee Connector

Model	Tube OD	Tube OD	Tube OD
SUS PUT 12	12 mm	12mm	12mm



* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.

Section 26

Pipe Fittings

26

CDC Fluidfit PE Tube


Standard Features:

- High Grade LLDPE Food-Safe Material
- Chemical Resistance
- Enhanced Flexibility
- Suitable for use with Fluidfit Push-to-Connect Fittings
- Compliance with FDA Standards
- Temperature Range -29°C to +66°C

Suitable for:
Pneumatics, water
purification, water
conditioners, ice makers,
misting systems & food
contact applications

CDC Tube — metric

Model	Tube Size ID x OD mm	Tube Type	Roll Size mtr
PE 0425	2.5 x 4	Natural	200
PE 0640	4 x 6	Natural	100
PE 0860	6 x 8	Natural	100
PE 1070	7 x 10	Natural	100
PE 1290	9 x 12	Natural	100
PE 15115	11.5 x 15	Natural	50



CDC Tube — inch

Model	Tube Size Inch (OD)	Tube Colour	Roll Size mtr
PE 5/32	5/32	Natural	200
PE 3/16	3/16	Natural	200
PE 1/4	1/4	Natural	100
PE 5/16	5/16	Natural	100
PE 3/8	3/8	Natural	100
PE 1/2	1/2	Natural	100



Options:

Alternative sizes. Alternative colours — natural, white, black, blue, red, yellow and green.

* Please refer to 'Aqua Products Limited' terms and conditions of sale for complete warranty conditions.